

Acker DS, Wayne WJ. Optically Active and Radioactive α -Lipoic Acids. JACS (1957) 79 6483.

Aliev G, Liu J, Shenk JC, Fischbach K, Pacheco GJ, Chen SG, Obrenovich ME, Ward WF, Richardson AG, Smith MA, Gasimov E, Perry G, Ames BN. Neuronal mitochondrial amelioration by feeding acetyl-L-carnitine and lipoic acid to aged rats. J Cell Mol Med (2008) 28.

Anderwald C, Koca G, Furnsinn C, Waldhausl W, Roden M. Inhibition of glucose production and stimulation of bile flow by R (+)-alpha-lipoic acid enantiomer in rat liver. Liver (2002) 22(4) 355-62.

Artwohl M, Muth K, Kosulin K, de Martin R, Hölzenbein T, Rainer G, Freudenthaler A, Huttary N, Schmetterer L, Waldhäusl WK, Baumgartner-Parzer SM. R-(+)-alpha-lipoic acid inhibits endothelial cell apoptosis and proliferation: involvement of Akt and retinoblastoma protein/E2F-1. Am J Physiol Endocrinol Metab (2007) 293(3) E681-9.

Artwohl M, Schmetterer L, Rainer G, Waldhausl W, Baumgartner-Parzer S. Modulation by antioxidants of endothelial apoptosis, proliferation and associated gene/protein expression. Euro. Association for the study of diabetes program 36 (2000).

Bantsev V, Trevithick JR. Lipoic acid reduces damage to lens by low doses of ^{60}Co irradiation in vitro. Reported in: α -Lipoic acid and cataract risk reduction. Chapter 14 in Lipoic Acid in Health and Disease. Fuchs J, Packer L, Zimmer G, eds. Marcel Dekker, Inc. New York, Basel, Hong Kong (1997) 227-242.

Bharat S, Cochran BC, Hsu M, Liu J, Ames BN, Andersen JK. Pre-treatment with R-lipoic acid alleviates the effects of GSH depletion in PC12 cells: implications for Parkinson's disease therapy. Neurotoxicology (2002) 23(4-5) 479-86.

Biewenga GP, Dorstijn MA, Verhagen JV, Haenen GR, Bast A. Reduction of lipoic acid by lipoamide dehydrogenase. Biochem Pharmacol (1996) 51(3) 233-8.

Biewenga G, Haenen G, Groen BH, Biewenga JE, Van Grondelle R, Gast A. Combined non-enzymatic and enzymatic reduction favors bioactivation of racemic lipoic acid: an advantage of a racemic drug? *Chirality* (1997a) 9 362-366.

Biewenga GP, Vriesman MF, Haenen GRMM, Bast A. Lipoic Acid: A Pharmacochemical Study. Ph.D. thesis. Academisch Proefschrift, Vrije Universiteit, Amsterdam (1997b).

Bunik V, Shoubnikova A, Loeffelhardt S, Bisswanger H, Borbe HO, Follmann H. Using lipoate enantiomers and thioredoxin to study the mechanism of the 2-oxoacid-dependent dihydrolipoate production by the 2-oxoacid dehydrogenase complexes. *FEBS Lett* (1995) 371(2) 167-70.

Cakatay U. Should it be safer to use a redox couple, both with (R)-alpha-lipoic acid combined with (R)-dihydrolipoic acid for avoiding prooxidant action of alpha-lipoic acid? *Med Hypotheses* (2007) 68(5) 1178.

Cameron NE, Cotter MA, Horrobin DH, Tritschler HJ. Effects of alpha-lipoic acid on neuro-vascular function in diabetic rats: interaction with essential fatty acids. *Diabetologia* (1998) 41(4) 390-9.

Carlson DA, Smith AR, Fischer SJ, Young KL, Packer L. The plasma pharmacokinetics of R-(+)-lipoic acid administered as sodium R-(+)-lipoate to healthy human subjects. *Altern Med Rev* (2007) 12(4) 343-51.

Carlson DA, Young KL, Fischer SJ, Ulrich H. An evaluation of the stability and plasma pharmacokinetics of R-lipoic acid (RLA) and R-dihydrolipoic acid (R-DHLA) dosage forms in human plasma from healthy volunteers. Chapter 10 in *Alpha Lipoic Acid: Energy Production, Antioxidant Activity and Health Effects*. Packer L, Patel M, eds. London, England: Taylor & Francis Publishers (2008) 235-270.

Cho KJ, Moon HE, Moini H, Packer L, Yoon DY, Chung AS. A-lipoic acid inhibits adipocyte differentiation by regulating pro-adipogenic

transduction factors via mitogen-activated protein kinase pathways. The journal of biological chemistry (2003) 278 37 (12) 34823-34833.

Cui X, Zuo P, Zhang Q, Li X, Hu Y, Long J, Packer L, Liu J. Chronic systemic D-galactose exposure induces memory loss, neurodegeneration, and oxidative damage in mice: protective effects of R-alpha-lipoic acid. J Neurosci Res (2006) 83(8) 1584-90.

Deitrich RA, Hellerman L. Pyruvate metabolism.v. Pyruvate utilization by mitochondria of rat brain. J Biol Chem (1964) 239 2735-40.

Deuther-Conrad W, Loske C, Schinzel R, Dringen R, Riederer P, Munch G. Advanced glycation endproducts change glutathione redox status in SH-SY5Y human neuroblastoma cells by a hydrogen peroxide dependent mechanism. Neurosci Lett (2001) 312(1) 29-32.

Diesel B, Kulhanek-Heinze S, Höltje M, Brandt B, Höltje HD, Vollmar AM, Kiemer AK. Alpha-lipoic acid as a directly binding activator of the insulin receptor: protection from hepatocyte apoptosis. Biochemistry (2007) 46(8) 2146-55.

Estrada DE, Ewart HS, Tsakiridis T, Volchuk A, Ramlal T, Tritschler H, Klip A. Stimulation of glucose uptake by the natural coenzyme alpha-lipoic acid/thioctic acid: participation of elements of the insulin signaling pathway. Diabetes (1996) 45(12) 1798-804.

Freisleben HJ, Neeb A, Lehr F, Ackermann H. Influence of selegiline and lipoic acid on the life expectancy of immunosuppressed mice. Arzneimittelforschung (1997) 47(6) 776-80.

Frolich L, Gotz ME, Weinmuller M, Youdim MB, Barth N, Dirr A, Gsell W, Jellinger K, Beckmann H, Riederer P. (r)-, but not (s)-alpha lipoic acid stimulates deficient brain pyruvate dehydrogenase complex in vascular dementia, but not in Alzheimer dementia. J Neural Transm (2004) 111 (3) 295-310.

Fuchs J, Milbradt R. Antioxidant inhibition of skin inflammation induced by reactive oxidants: evaluation of the redox couple dihydrolipoate /lipoate. Skin Pharmacol (1994) 7(5) 278-84.

Gal EM, Razevska DE. Studies on the in vivo metabolism of lipoic acid. 1. The fate of DL-lipoic acid-S35 in normal and thiamine-deficient rats. *Arch Biochem Biophys* (1960) 89 253-61.

Gal EM. Reversal of selective toxicity of (-)-alpha-lipoic acid by thiamine in thiamine-deficient rats. *Nature* (1965) 207(996) 535.

Guo Q, Tirosh O, Packer L. Inhibitory effect of alpha-lipoic acid and its positively charged amide analogue on nitric oxide production in RAW 264.7 macrophages. *Biochem Pharmacol* (2001) 61(5) 547-54.

Hagen TM, Ingersoll RT, Lykkesfeldt J, Liu J, Wehr CM, Vinarsky V, Bartholomew JC, Ames AB. (R)-alpha-lipoic acid-supplemented old rats have improved mitochondrial function, decreased oxidative damage, and increased metabolic rate. *FASEB J* (1999a) 13(2) 411-8.

Hagen TM, Vinarsky V, Wehr CM, Ames BN. (R)-alpha-lipoic acid reverses the age-associated increase in susceptibility of hepatocytes to tert-butylhydro- peroxide both in vitro and in vivo. *Antioxid Redox Signal* (2000) 2(3) 473-83.

Hagen TM, Moreau R, Suh JH, Visioli F. Mitochondrial decay in the aging rat heart: evidence for improvement by dietary supplementation with acetyl-L-carnitine and/or lipoic acid. *Ann N Y Acad Sci* (2002a) 959 491-507.

Hagen TM, Liu J, Lykkesfeldt J, Wehr CM, Ingersoll RT, Vinarsky V, Bartholomew JC, Ames BN. Feeding acetyl-L-carnitine and lipoic acid to old rats significantly improves metabolic function while decreasing oxidative stress. *Proc Natl Acad Sci U S A* (2002b) 99(4) 1870-5.

Hao J, Shen W, Tian C, Liu Z, Ren J, Luo C, Long J, Sharman E, Liu J. Mitochondrial nutrients improve immune dysfunction in the type 2 diabetic Goto-Kakizaki rats. *J Cell Mol Med* (2008).

Haramaki N, Han D, Handelman GJ, Tritschler HJ, Packer L. Cytosolic and mitochondrial systems for NADH- and NADPH-dependent reduction of alpha-lipoic acid. *Free Radic Biol Med* (1997) 22(3) 535-42.

Henricksen EJ, Saengsirisuwan V. Exercise training and antioxidants: relief from oxidative stress and insulin resistance. *Exerc Sport Sci Rev* (2003) 31(2) 79-84

Henricksen EJ. Exercise training and the antioxidant alpha-lipoic acid in the treatment of insulin resistance and type 2 diabetes. *Free Radic Biol Med* (2006) 40(1) 3-12.

Henricksen EJ. Lipoate in an animal model of insulin resistance: the obese Zucker rat. Chapter 18 in *Lipoic Acid in Health and Disease* Fuchs J, Packer L, Zimmer G, eds. Marcel Dekker, Inc. New York. Basel, Hong Kong (1997) 283-294.

Hofmann M, Mainka P, Tritschler H, Fuchs J, Zimmer G. Decrease of red cell membrane fluidity and -SH groups due to hyperglycemic conditions is counteracted by alpha-lipoic acid. *Arch Biochem Biophys* (1995) 324(1) 85-92.

Holmquist L, Stuchbury G, Berbaum K, Muscat S, Young S, Hager K, Engel J, Munch G. Lipoic acid as a novel treatment for Alzheimer's disease and related dementias. *Pharmacol Ther* (2007) 113(1) 154-64.

Hong YS, Jacobia SJ, Packer L, Patel MS. The inhibitory effects of lipoic compounds on mammalian pyruvate dehydrogenase complex and its catalytic components. *Free Radic Biol Med* (1999) 26(5-6) 685-94.

Jenner P, Seaton TA, Marsden CD. Altered 14 C-deoxyglucose incorporation in rat brain following treatment with alpha-lipoic acid. Chapter 16 in. *Lipoic Acid in Health and Disease*. Fuchs J, Packer L, Zimmer G, eds. Marcel Dekker, Inc. New York, Basel, Hong Kong (2007) 259-268.

Jia L, Liu Z, Sun L, Miller SS, Ames BN, Cotman CW, Liu J. Acrolein, a toxicant in cigarette smoke, causes oxidative damage and mitochondrial dysfunction in RPE cells: protection by (R)-alpha-lipoic acid. *Invest Ophthalmol Vis Sci* (2007) 48(1) 339-48.

Kawabata T, Packer L. Alpha-lipoate can protect against glycation of serum albumin, but not low density lipoprotein. *Biochem Biophys Res Commun* (1994) 203(1) 99-104.

Khanna S, Roy S, Packer L, Sen CK. Cytokine-induced glucose uptake in skeletal muscle: redox regulation and the role of alpha-lipoic acid. *Am J Physiol* (1999) 276(5 Pt 2) R1327-33.

Kilic F, Handelman GJ, Serbinova E, Packer L, Trevithick JR. Modelling cortical cataractogenesis 17: in vitro effect of alpha-lipoic acid on glucose-induced lens membrane damage, a model of diabetic cataractogenesis. *Biochem Mol Biol Int* (1995) 37(2) 361-70.

Kilic F, Handelman GJ, Traber K, Tsang K, Packer L, Trevithick JR. Modelling cortical cataractogenesis XX. In vitro effect of alpha-lipoic acid on glutathione concentrations in lens in model diabetic cataractogenesis. *Biochem Mol Biol Int* (1998) 46(3) 585-95.

Konrad D, Somwar R, Sweeney G, Yaworsky K, Hayashi M, Ramlal T, Klip A. The antihyperglycemic drug alpha-lipoic acid stimulates glucose uptake via both GLUT4 translocation and GLUT4 activation: potential role of p38 mitogen-activated protein kinase in GLUT4 activation. *Diabetes* (2001) 50(6) 1464-71.

Korotchkina LG, Sidhu S, Patel MS. R-lipoic acid inhibits mammalian pyruvate dehydrogenase kinase. *Free Radic Res* (2004) 38(10) 1083-92.

Krone D. The Pharmacokinetics and Pharmacodynamics of R-(+)-alpha lipoic acid. Ph.D. Thesis, Johann Wolfgang Goethe University, Frankfurt am Main Germany (2002). English translation available from GeroNova Research.

Kulhanek-Heinz S. Characterization of Anti-apoptotic signaling pathways in heptaocytes activated by R-alpha lipoic Acid and atrial Natriuretic Peptide, Ph.D. Dissertation Ludwig-Maximilians-University of Munich (2004).

Lang G. In Vitro Metabolism of α -Lipoic Acid Especially Taking Enantioselective Biotransformation into Account. Ph.D. Thesis, University of Münster, Münster, Germany (1992).

Lin J, Bierhaus A, Bugert P, Dietrich N, Feng Y, Vom Hagen F, Nawroth P, Brownlee M, Hammes HP. Effect of R-(+)- α -lipoic acid on experimental diabetic retinopathy. *Diabetologia* (2006) 49(5) 1089-96.

Liu J, Head E, Gharib AM, Yuan W, Ingersoll RT, Hagen TM, Cotman CW, Ames BN. Memory loss in old rats is associated with brain mitochondrial decay and RNA/DNA oxidation: partial reversal by feeding acetyl-L-carnitine and/or R- α -lipoic acid. *Proc Natl Acad Sci U S A* (2002 A) 99(4) 2356-61.

Liu J, Atamna H, Kuratsune H, Ames BN. Delaying brain mitochondrial decay and aging with mitochondrial antioxidants and metabolites. *Ann N Y Acad Sci* (2002 B) 959 133-66.

Liu J, Killilea DW, Ames BN. Age-associated mitochondrial oxidative decay: improvement of carnitine acetyltransferase substrate-binding affinity and activity in brain by feeding old rats acetyl-L-carnitine and/or R- α -lipoic acid. *Proc Natl Acad Sci* (2002C) 99(4) 1876-81.

Lockhart B, Jones C, Cuisinier C, Villain N, Peyroulan D, Lestage P. Inhibition of L-homocysteic acid and buthionine sulphoximine-mediated neurotoxicity in rat embryonic neuronal cultures with α -lipoic acid enantiomers. *Brain Res* (2000) 855(2) 292-7.

Loffelhardt S, Bonaventura C, Locher M, Borbe HO, Bisswanger H. Interaction of α -lipoic acid enantiomers and homologues with the enzyme components of the mammalian pyruvate dehydrogenase complex. *Biochem Pharmacol* (1995) 50(5) 637-46.

Long J, Wang X, Gao H, Liu Z, Liu C, Miao M, Cui X, Packer L, Liu J. D-galactose toxicity in mice is associated with mitochondrial dysfunction: protecting effects of mitochondrial nutrient R- α -lipoic acid. *Biogerontology* (2007) 8(3) 373-81.

Long J, Gao F, Tong L, Cotman CW, Ames BN, Liu J. Mitochondrial Decay in the Brains of Old Rats: Ameliorating Effect of Alpha-Lipoic Acid and Acetyl-L: -carnitine. *Neurochem Res* (2008) 10.

Luepke NP, Baron-Ruppert G, Meier H, Wolf T. Lipoate effects in an animal-free model. Chapter 8 in *Lipoic Acid in Health and Disease*. Fuchs J, Packer L, Zimmer G, eds. Marcel Dekker, Inc. New York, Basel, Hong Kong (1997) 131-143.

Lykkesfeldt J, Hagen TM, Vinarsky V, Ames BN. Age-associated decline in ascorbic acid concentration, recycling, and biosynthesis in rat hepatocytes--reversal with (R)-alpha-lipoic acid supplementation. *FASEB J* (1998) 12(12) 1183-9.

Maczurek A, Hager K, Kenklies M, Sharman M, Martins R, Engel J, Carlson DA, Münch G. Lipoic acid as an anti-inflammatory and neuroprotective treatment for Alzheimer's disease. *Advanced Drug Delivery Reviews* (2008).

Maddux BA, See W, Lawrence JC Jr, Goldfine AL, Goldfine ID, Evans JL. Protection against oxidative stress-induced insulin resistance in rat L6 muscle cells by micromolar concentrations of alpha-lipoic acid. *Diabetes* (2001) 50(2) 404-10.

Maitra I, Serbinova E, Tritschler HJ, Packer L. Stereospecific effects of R-lipoic acid on buthionine sulfoximine-induced cataract formation in newborn rats. *Biochem Biophys Res Commun* (1996) 221(2) 422-9.

Mathews CE, Bagley R, Leiter EH. ALS/Lt: a new type 2 diabetes mouse model associated with low free radical scavenging potential. *Diabetes* (2004) 53 Suppl 1:S125-9.

May JM, Qu ZC, Nelson DJ. Cellular disulfide-reducing capacity: an integrated measure of cell redox capacity. *Biochem Biophys Res Commun* (2006) 344(4) 1352-9.

May JM, Qu ZC, Nelson DJ. Uptake and reduction of alpha-lipoic acid by human erythrocytes. *Clin Biochem* (2007) 40(15) 1135-42.

Moini H, Tirosh O, Park YC, Cho KJ, Packer L. R-alpha-lipoic acid action on cell redox status, the insulin receptor, and glucose uptake in 3T3-L1 adipocytes. *Arch Biochem Biophys* (2002) 397(2) 384-91.

Muellenbach EM, Diehl CJ, Teachey MK, Lindborg KA, Hasselwander O, Matuschek M, Henriksen EJ. Metabolic interactions of AGE inhibitor pyridoxamine and antioxidant alpha-lipoic acid following 22 weeks of treatment in obese Zucker rats. *Life Sci.* 2009 Apr 10;84(15-16):563-8. Epub 2009 Feb 11.

Muellenbach EA, Diehl CJ, Teachey MK, Lindborg KA, Archuleta TL, Harrell NB, Andersen G, Somoza V, Hasselwander O, Matuschek M, Henriksen EJ. Interactions of the advanced glycation end product inhibitor pyridoxamine and the antioxidant alpha-lipoic acid on insulin resistance in the obese Zucker rat. *Metabolism* (2008) 57(10) 1465-72.

Müller U, Krieglstein J. Prolonged pretreatment with alpha-lipoic acid protects cultured neurons against hypoxic, glutamate-, or iron-induced injury. *J Cereb Blood Flow Metab* (1995) 15(4) 624-30.

Nickander KK, McPhee BR, Low PA, Tritschler H. Alpha-lipoic acid: antioxidant potency against lipid peroxidation of neural tissues in vitro and implications for diabetic neuropathy. *Free Radic Biol Med* (1996) 21(5) 631-9.

Oehring R, Bisswanger H. Incorporation of the enantiomers of lipoic acid into the pyruvate dehydrogenase complex from *Escherichia coli* in vivo. *Biol Chem Hoppe Seyler* (1992) 373(6) 333-5.

Ou P, Tritschler HJ, Wolff SP. Thiocctic (lipoic) acid: a therapeutic metal-chelating antioxidant? *Biochem Pharmacol* (1995) 50(1) 123-6.

Packer L, Kraemer K, Rimbach G. Molecular aspects of lipoic acid in the prevention of diabetes complications. *Nutrition* (2001) 17 (10) 888-95.

Petersen-Shay K, Shenvi S, Hagen TM. Lipoic acid as an inducer of phase II detoxification enzymes through activation of Nr-f2 dependent gene expression. Chapter 14 in Alpha Lipoic Acid: Energy Production, Antioxidant Activity and Health Effects. Packer L, Patel M, eds. Boca Raton, London, New York: Taylor & Francis Publishers (2008) 349-371.

Petersen Shay K, Hagen TM. Age-associated impairment of Akt phosphorylation in primary rat hepatocytes is remediated by alpha-lipoic acid through PI3 kinase, PTEN, and PP2A. Biogerontology (2008) 18.

Pick U, Haramaki N, Constantinescu A, Handelman GJ, Tritschler HJ, Packer L. Glutathione reductase and lipoamide dehydrogenase have opposite stereospecificities for alpha-lipoic acid enantiomers. Biochem Biophys Res Commun (1995) 206(2) 724-30.

Price SA, Gardiner NJ, Duran-Jimenez B, Zeef LA, Obrosova IG, Tomlinson DR. Thioredoxin interacting protein is increased in sensory neurons in experimental diabetes. Brain Res (2006)1116(1) 206-14.

Raddatz G, Bisswanger H. Receptor site and stereospecificity of dihydrolipoamide dehydrogenase for R- and S-lipoamide: a molecular modeling study. Journal of Biotechnology (1997) 58(2) 89-100.

Reiss OK. Pyruvate metabolism. II. Restoration of pyruvate utilization in heart sarcosomes by alpha-(+)-lipoic acid. J Biol Chem (1958) 233(4) 789-93.

Reiss OK, Hellerman L. Pyruvate utilization in heart sarcosomes; inhibition by an arsenoso compound and reactivation by lipoic acid. J Biol Chem (1958) 231(1) 557-69.

Roy S, Sen CK, Tritschler HJ, Packer L. Modulation of cellular reducing equivalent homeostasis by alpha-lipoic acid. Mechanisms and implications for diabetes and ischemic injury. Biochem Pharmacol (1997) 53(3) 393-9.

Saengsirisuwan V, Perez FR, Kinnick TR, Henriksen EJ. Effects of exercise training and antioxidant R-ALA on glucose transport in insulin-sensitive rat skeletal muscle. *J Appl Physiol* (2002) 92(1) 50-8.

Saengsirisuwan V, Perez FR, Sloniger JA, Maier T, Henriksen EJ. Interactions of exercise training and alpha-lipoic acid on insulin signaling in skeletal muscle of obese Zucker rats. *Am J Physiol Endocrinol Metab* (2004) 287(3) E529-36.

Sanadi DR, Searls RL. Reversible reduction of thioctamide catalyzed by the alpha-ketoglutaric dehydrogenase complex. *Biochim Biophys Acta* (1957) 24(1) 220-1.

Sanadi DR, Langley M, Searls RL. alpha-Ketoglutaric dehydrogenase. VI. Reversible oxidation of dihydrothioctamide by diphosphopyridine nucleotide. *J Biol Chem* (1959) 234(1) 178-82.

Schempp H, Ulrich H, Elstner EF. Stereospecific reduction of R-(+)-thioctic acid by porcine heart lipoamide dehydrogenase/diaphorase. *Z Naturforsch [C]* (1994) 49(9-10) 691-2.

Seaton TA, Jenner P, Marsden CD. The isomers of thioctic acid alter C-deoxyglucose incorporation in rat basal ganglia. *Biochem Pharmacol* (1996) 51(7) 983-6.

Shen W, Liu K, Tian C, Yang L, Li X, Ren J, Packer L, Cotman CW, Liu J. R-alpha-Lipoic acid and acetyl-L-carnitine complementarily promote mitochondrial biogenesis in murine 3T3-L1 adipocytes. *Diabetologia* (2008a) 51(1) 165-74.

Shen W, Liu K, Tian C, Yang L, Li X, Ren J, Packer L, Head E, Sharman E, Liu J. Protective effects of R-alpha-lipoic acid and acetyl-L-carnitine in MIN6 and isolated rat islet cells chronically exposed to oleic acid. *J Cell Biochem* (2008b).

Shen W, Hao J, Tian C, Ren J, Yang L, Li X, Luo C, Cotman CW, Liu J. A combination of nutriment improves mitochondrial biogenesis and function in skeletal muscle of type 2 diabetic Goto-Kakizaki rats. *PLoS ONE* (2008) 3(6) e2328.

Shenk JC, Liu J, Fischbach K, Xu K, Puchowicz M, Obrenovich ME, Gasimov E, Alvarez LM, Ames BN, Lamanna JC, Aliev G. The effect of acetyl-L-carnitine and R-alpha-lipoic acid treatment in ApoE4 mouse as a model of human Alzheimer's disease. *J Neurol Sci.* 2009 Mar 31

Siedlak SL, Casadesus G, Webber KM, Pappolla MA, Atwood CS, Smith MA, Perry G. Chronic antioxidant therapy reduces oxidative stress in a mouse model of Alzheimer's disease. *Free Radic Res.* 2009 Jan 21:1-9.

Smith AR, Visioli F, Frei B, Hagen TM. Lipoic acid significantly restores the age-related decline in vasomotion. *British Journal of Pharmacology* (2008) 153(8) 1615-22.

Smith AR. Elevated ceramide levels contribute to the age-associated decline in vascular endothelial nitric oxide. Pharmacological administration of R-(+)-lipoic acid partially restores function. Ph.D. Thesis. Linus Pauling Institute, Oregon State University (2005).

Smith AR, Hagen TM. Vascular endothelial dysfunction in aging: loss of Akt-dependent endothelial nitric oxide synthase phosphorylation and partial restoration by (R)-alpha-lipoic acid. *Biochem Soc Trans* (2003) 31(Pt 6) 1447-9.

Smith JR, Thiagaraj HV, Seaver B, Parker KK. Differential activity of lipoic acid enantiomers in cell culture. *J Herb Pharmacother* (2005) 5(3) 43-54.

Stitt A, Gardiner TA, Alderson NL, Canning P, Frizzell N, Duffy N, Boyle C, Januszewski AS, Chachich M, Baynes JW, Thorpe SR. The AGE inhibitor pyridoxamine inhibits development of retinopathy in experimental diabetes. *Diabetes* (2002) 51(9) 2826-32.

Streeper RS, Henriksen EJ, Jacob S, Hokama JY, Fogt DL, Tritschler HJ. Differential effects of lipoic acid stereoisomers on glucose metabolism in insulin-resistant skeletal muscle. *Am J Physiol* (1997) 273 (1 Pt 1) E185-91.

Suh JH. Antioxidant mechanisms of ascorbate and R-alpha lipoic acid in aging and transition metal ion-mediated oxidative stress. Ph.D. Thesis. Linus Pauling Institute, Oregon State University (2004).

Suh JH, Shigeno ET, Morrow JD, Cox B, Rocha AE, Frei B, Hagen TM. Oxidative stress in the aging rat heart is reversed by dietary supplementation with (R)-(alpha)-lipoic acid. *FASEB J* (2001) 15(3) 700-6.

Suh JH, Wang H, Liu RM, Liu J, Hagen TM. (R)-alpha-lipoic acid reverses the age-related loss in GSH redox status in post-mitotic tissues: evidence for increased cysteine requirement for GSH synthesis. *Arch Biochem Biophys* (2004) 423(1) 126-35.

Suh JH, Shenvi SV, Dixon BM, Liu H, Jaiswal AK, Liu RM, Hagen TM. Decline in transcriptional activity of Nrf2 causes age-related loss of glutathione synthesis, which is reversible with lipoic acid. *Proc Natl Acad Sci U S A* (2004) 101(10) 3381-6.

Suh JH, Moreau R, Heath SH, Hagen TM. Dietary supplementation with (R)-alpha-lipoic acid reverses the age-related accumulation of iron and depletion of antioxidants in the rat cerebral cortex. *Redox Rep* (2005) 10(1) 52-60.

Takenouchi K, Aso K, Kawashima S. Studies on the metabolism of thioctic acid in skin diseases. (II). Loading test of thioctic acid in various skin diseases. *J Vitaminology* (1962) 8 99-114.

Teachey MK, Taylor ZC, Maier T, Saengsirisuwan V, Sloniger JA, Jacob S, Klatt MJ, Ptock A, Kraemer K, Hasselwander O, Henriksen EJ. Interactions of conjugated linoleic acid and lipoic acid on insulin action in the obese Zucker rat. *Metabolism* (2003) 52(9) 1167-74.

Tirosh O, Sen CK, Roy S, Kobayashi MS, Packer L. Neuroprotective effects of alpha-lipoic acid and its positively charged amide analogue. *Free Radic Biol Med* (1999) 26(11-12) 1418-26.

Traber K, Trevithick JR, Handelman GJ, Packer L. a-Lipoic acid and cataract risk reduction. Chapter 14 in *Lipoic Acid in Health and*

Disease. Fuchs J, Packer L, Zimmer Marcel Dekker, Inc. New York, Basel, Hong Kong (1997) 227-242.

Tsakiridis T, Ewart HS, Ramlal T, Volchuk A, Klip A. Alpha-lipoic acid stimulates glucose transport into muscle and adipose cells in culture: comparison with the actions of insulin and dinitrophenol. Chapter 5 in Lipoic Acid in Health and Disease. Fuchs J, Packer L, Zimmer G, eds. Marcel Dekker, Inc. New York, Basel, Hong Kong (1997) 87-98.

Voloboueva LA, Liu J, Suh JH, Ames BN, Miller SS. (R)-alpha-lipoic acid protects retinal pigment epithelial cells from oxidative damage. Invest Ophthalmol Vis Sci (2005) 46(11) 4302-10.

Vossler S, Füllert S, Schneider F, Haak E, Haak T, Samigullin R, Tritschler H, Tooke JE, Konrad T. Pharmacodynamic effects of orally administered dexlipotam on endothelial function in type 2-diabetic patients. Int J Clin Pharmacol Ther (2007) 45(7) 385-93.

Walgren JL, Amani Z, McMillan JM, Locher M, Buse MG. Effect of R(+)-alpha-lipoic acid on pyruvate metabolism and fatty acid oxidation in rat hepatocytes. Metabolism. (2004) 53(2)165-73.

Walter PB, Tirosh O, Sen C, Packer L, Ames BN. The effect of R-lipoic acid and its lipoamide analogue on mitochondrial function during oxidant stress: thiol regulation of the permeability transition. Oxygen Club Poster (2000).

Walton W, Wagner A, Peterson L, Holly FW, Folkers K. The Synthesis of (+)-Lipoic Acid and its optical antipode (1954) JACS 76, 4748.

Walton W, Wagner A, Bachelor F, Peterson L, Holly FW, Folkers K. Synthesis of (+)- α -Lipoic Acid and its Optical Antipode. JACS (1955) 77 5144.

Webster J, Urban C, Berbaum K, Loske C, Alpar A, Gartner U, de Arriba SG, Arendt T, Munch G. The carbonyl scavengers aminoguanidine and tenilsetam protect against the neurotoxic effects of methylglyoxal. Neurotox Res (2005) 7(1-2) 95-101.

Wessner B, Strasser EM, Manhart N, Roth E. Supply of R-alpha-lipoic acid and glutamine to casein-fed mice influences the number of B lymphocytes and tissue glutathione levels during endotoxemia. *Wien Klin Wochenschr* (2006) 118(3-4) 100-7.

Wolz P, Kriegelstein J. Neuroprotective effects of alpha-lipoic acid and its enantiomers demonstrated in rodent models of focal cerebral ischemia. *Neuropharmacology* (1996) 35(3) 369-75.

Yang YS, Frey PA. Dihydrolipoyl transacetylase of *Escherichia coli*. Formation of 8-S-acetyldihydrolipoamide. *Biochemistry* (1986) 25(25) 8173-8.

Yaworsky K, Somwar R, Ramlal T, Tritschler HJ, Klip A. Engagement of the insulin-sensitive pathway in the stimulation of glucose transport by alpha-lipoic acid in 3T3-L1 adipocytes. *Diabetologia* (2000) 43(3) 294-303.

Zhang H, Jia H, Liu J, Ao N, Yan B, Shen W, Wang X, Li X, Luo C, Liu J. Combined R-alpha-lipoic acid and acetyl-L-carnitine exerts efficient preventative effects in a cellular model of Parkinson's disease. *J Cell Mol Med* (2008).

Zhang WJ, Bird KE, McMillen TS, LeBoeuf RC, Hagen TM, Frei B. Dietary alpha-lipoic acid supplementation inhibits atherosclerotic lesion development in apolipoprotein E-deficient and apolipoprotein E/low-density lipoprotein receptor-deficient mice. *Circulation* (2008) 117(3) 421-8.

Zimmer G, Mainka L, Ulrich H. ATP synthesis and ATPase activities in heart mitochondria under influence of R- and S-enantiomers of lipoic acid. *Methods Enzymol* (1995) 251 332-40.

Zimmer G. Overview of the role of lipoate in the enzyme complexes of energy metabolism and reducing equivalents. Chapter 4 in *Lipoic Acid in Health and Disease*. Fuchs J, Packer L, Zimmer G, eds. Marcel Dekker Inc. New York, Basel, Hong Kong (1997) 67-86.

Zimmer G. Protection from myocardial ischemia/reperfusion injury. Chapter 12 in *Lipoic Acid in Health and Disease*. Fuchs J, Packer L,

Zimmer G, eds. Marcel Dekker, Inc. New York, Basel, Hong Kong
(1997) 193-204.